SAFETY DATA SHEET

Q8 Copper Thread



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: Q8 Copper Thread
Material uses	: grease
EC number	: Not available.
CAS number	: Not available.

1.2 Relevant identified uses of the substance or mixture and uses advised against Not applicable.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Distributor	: Kuwait Petroleum Companies in the Benelux Company Office: Brusselstraat 59, B-2018, Antwerp Contactaddress: Petroleumkaai 7, B-2020, Antwerp Tel. +32 3 247 38 11, Fax +32 3 216 03 42
e-mail address of person responsible for this SDS	: SDSinfo@Q8.com, communication preferably in English only.

1.4 Emergency telephone number

Europe	: +44 (0) 1235 239 670	CARECHEM24
Global (English only)	: +44 (0) 1865 407 333	1000 M

SECTION 2: Hazards identification

2.1 Classification of the sub	ostance or mixture
Product definition	: Mono-constituent substance
Classification according to	o Regulation (EC) No. 1272/2008 [CLP/GHS]
The product is not classifie Not classified.	d as hazardous according to Regulation (EC) 1272/2008 as amended.
Ingredients of unknown toxicity	: None.
Ingredients of unknown ecotoxicity	: None.
Classification according to Not classified.	o Directive 67/548/EEC [DSD]
See Section 16 for the full te	ext of the R phrases or H statements declared above.
See Section 11 for more def	ailed information on health effects and symptoms.
2.2 Label elements	

2.2 Label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
General	: Not applicable.
Prevention	: Not applicable.
Response	: Not applicable.

Date of issue/Date of revision

Q8 Copper Thread

do copper miead	
SECTION 2: Hazards	identification
Storage	: Not applicable.
Disposal	: Not applicable.
Hazardous ingredients	: Q8 Copper Thread
Supplemental label elements	: Safety data sheet available on request.
Special packaging require	nents
Containers to be fitted with child-resistant fastenings	: Not applicable.
Tactile warning of danger	: Not applicable.
2.3 Other hazards	
Substance meets the	: No.
criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII	P: Not available. B: Not available. T: No.
Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	: Not available.
Other hazards which do not result in classification	: Defatting to the skin.

SECTION 3: Composition/information on ingredients

3.1 Substances	: Mono-constituent substance
0.1 000300000	

			<u>Classi</u>	<u>fication</u>	
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
Calcium-Lithium grease based on mineral oil with additives.	-	100	Not classified.	Not classified.	[A]

The mineral oils in the product contain < 3% DMSO extract (IP 346).

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

- Туре
- [A] Constituent
- [B] Impurity

[C] Stabilizing additive

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	 Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Wash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Date of issue/Date of revision

Q8 Copper Thread

Q8 Copper Thread	
SECTION 4: First aid	d measures
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.
4.2 Most important sympton	ns and effects, both acute and delayed
Potential acute health effect	<u>ets</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Defatting to the skin. May cause skin dryness and irritation.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symp	<u>toms</u>
Eye contact	: No specific data.
Inhalation	No specific data.
Skin contact	: Adverse symptoms may include the following: irritation dryness cracking
Ingestion	: No specific data.
3	
4.3 Indication of any immed	iate medical attention and special treatment needed
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
SECTION 5: Firefigh	ting measures
5.1 Extinguishing media	
Suitable extinguishing media	: Use dry chemical, CO ₂ , alcohol-resistant foam or water spray (fog).
Unsuitable extinguishing media	: Do not use water jet.
5.2 Special hazards arising	from the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

Q8 Copper Thread

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	tective equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and materials fo	r containment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

Q8 Copper Thread

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredier	nt n	ame	Exposure limit values
Calcium-Lithium grease based on mineral oil with additives.		n mineral oil	EU OEL (Europe). TWA: 5 mg/m³, (oil Mist)
Recommended monitoring procedures		atmosphere or b of the ventilation protective equip the following: E the assessment limit values and atmospheres - C of exposure to c (Workplace atm for the measure	ontains ingredients with exposure limits, personal, workplace biological monitoring may be required to determine the effectiveness in or other control measures and/or the necessity to use respiratory ment. Reference should be made to monitoring standards, such as uropean Standard EN 689 (Workplace atmospheres - Guidance for of exposure by inhalation to chemical agents for comparison with measurement strategy) European Standard EN 14042 (Workplace Guide for the application and use of procedures for the assessment chemical and biological agents) European Standard EN 482 ospheres - General requirements for the performance of procedures ment of chemical agents) Reference to national guidance nethods for the determination of hazardous substances will also be
DNELs/DMELs No DNELs/DMELs available			
PNECs			
No PNECs available.			
2 Exposure controls			
Appropriate engineering controls	-	Good general v contaminants.	rentilation should be sufficient to control worker exposure to airborne
ndividual protection measu	res	i i	
Hygiene measures	:	before eating, s Appropriate tec Wash contamir	brearms and face thoroughly after handling chemical products, smoking and using the lavatory and at the end of the working period. hniques should be used to remove potentially contaminated clothing nated clothing before reusing. Ensure that eyewash stations and are close to the workstation location.
Eye/face protection	:	assessment inc gases or dusts.	complying with an approved standard should be used when a risk dicates this is necessary to avoid exposure to liquid splashes, mists, If contact is possible, the following protection should be worn, essment indicates a higher degree of protection: safety glasses with
Skin protection			
Hand protection	:	be worn at all ti	tant, impervious gloves complying with an approved standard should mes when handling chemical products if a risk assessment indicates ry. Wear suitable gloves tested to EN374. Recommended: Nitrile
Body protection	:		ctive equipment for the body should be selected based on the task d and the risks involved and should be approved by a specialist this product.
Other skin protection	:	selected based	twear and any additional skin protection measures should be on the task being performed and the risks involved and should be specialist before handling this product.

Q8 Copper Thread

SECTION 8: Exposure controls/personal protection

Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: Boiling point > 65 °C: A1; Boiling point < 65 °C: AX1; Hot material: A1P2.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical	and chemical properties
<u>Appearance</u>	
Physical state	: Liquid. [grease]
Appearance	: Smooth
Color	: Red. to Yellow
Odor	: Odorless.
Odor threshold	: Not available.
рН	: 7
Melting point/freezing point	: >150°C
Initial boiling point and boiling range	: Not available.
Flash point	: Open cup: >150°C [ASTM D92.]
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not applicable.
Upper/lower flammability or explosive limits	: Not available.
Relative density	: 1.2
Solubility(ies)	: Insoluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/ water	: Not available.
Auto-ignition temperature	: >200°C
Decomposition temperature	: >200°C
Viscosity (40°C)	: 130 to 160 cSt
Explosive properties	: Not applicable.
Oxidizing properties	: Not applicable.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	;	The product is stable.
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid		No specific data.

Q8 Copper Thread

SECTION 10: Stability and reactivity

10.5 Incompatible materials	: Reactive or incompatible with the following materials: Strong oxidizing materials

10.6 Hazardous	: Under normal conditions of storage and use, hazardous decomposition products
decomposition products	should not be produced.

SECTION 11: Toxicological information

		J	
11.1 Information on toxicologi	ica	al effects	
Acute toxicity			
Conclusion/Summary	:	Not available.	
Irritation/Corrosion			
Conclusion/Summary	:	Not available.	
Sensitization			
Conclusion/Summary	÷	Not available.	
<u>Mutagenicity</u>			
Conclusion/Summary	÷	Not available.	
Carcinogenicity			
Conclusion/Summary	÷	Not available.	
Reproductive toxicity			
Conclusion/Summary	÷	Not available.	
Teratogenicity			
Conclusion/Summary	÷	Not available.	
Specific target organ toxicity	(<u>single exposure)</u>	
Not available.			
Specific target organ toxicity	<u>' (</u> 1	repeated exposure)	
Not available.			
Aspiration hazard			
Not available.			
Information on the likely		Notavailable	
routes of exposure	1	Not available.	
Potential acute health effects			
	÷	No known significant effects or critical hazards.	
Inhalation		No known significant effects or critical hazards.	
Skin contact		Defatting to the skin. May cause skin dryness and irritation.	
Ingestion	÷	No known significant effects or critical hazards.	
-		-	
Symptoms related to the physical, chemical and toxicological characteristics			
Eye contact	÷	No specific data.	
Inhalation	:	No specific data.	
Skin contact	÷	Adverse symptoms may include the following:	
		irritation	
		dryness cracking	
Ingestion	÷	No specific data.	
-			

Delayed and immediate effects and also chronic effects from short and long term exposure Short term exposure

Date of issue/Date of revision

Q8 Copper Thread

SECTION 11: Toxicological information

	5
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	ects
Not available.	
Conclusion/Summary	: Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Other information

: Not available.

SECTION 12: Ecological information

12.1 Toxicity	
Conclusion/Summary	: Not available.
12.2 Persistence and degrad	lability
Conclusion/Summary	: Not available.
12.3 Bioaccumulative poten	tial
Not available.	
12.4 Mobility in soil	
Soil/water partition coefficient (K _{oc})	: Not available.
Mobility	: Not available.
12.5 Results of PBT and vPv	'B assessment
PBT	: No.
	P: Not available. B: Not available. T: No.
vPvB	: Not available.
	vP: Not available. vB: Not available.
12.6 Other adverse effects	: No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Q8 Copper Thread

SECTION 13: Disposal considerations

Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Yes.

European waste catalogue (EWC)

Waste code	Waste designation		
13 08 99*	wastes not otherwise specified		
Packaging			
Methods of disposal	 The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. 		
Special precautions	This material and its container must be disposed of in a safe way. Empty con or liners may retain some product residues. Avoid dispersal of spilled materia runoff and contact with soil, waterways, drains and sewers.		

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

- 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
- : Not available.

Q8 Copper Thread

SECTION 15: Regulatory information

15.1 Safety, health and e EU Regulation (EC) No.	nvironmental regulations/legislation specific for the substance or mixture
	estances subject to authorization
Annex XIV	
None of the componen	ts are listed
Substances of very h	
None of the componen	-
Other EU regulations	
	: Not determined.
Seveso II Directive	
	olled under the Seveso II Directive.
Hazard class for water (WGK)	
International regulation	
Chemical Weapon Conv	rention List Schedules I, II & III Chemicals
Not listed.	
Montreal Protocol (Anno	exes A. B. C. E)
Not listed.	
	en Reveletent Ornenia Rellutente
	on Persistent Organic Pollutants
Not listed.	
Rotterdam Convention	on Prior Inform Consent (PIC)
Not listed.	
UNECE Aarhus Protoco	l on POPs and Heavy Metals
Not listed.	
International lists	
National inventory	
Australia	: Not determined.
Canada	: Not determined.
China	: Not determined.
Japan	: Not determined.
Malaysia	: Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: Not determined.
United States	: Not determined.
15.2 Chemical Safety Assessment	: This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Q8 Copper Thread

SECTION 16: Other information				
Abbreviations and acronyms	 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative 			

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification		Justification	
Not classified.			
Full text of abbreviated H statements	: Not applicable.		
Full text of classifications [CLP/GHS]	: Not applicable.		
Full text of abbreviated R phrases	: Not applicable.		
Full text of classifications [DSD/DPD]	: Not applicable.		
Date of printing	: 9-01-2015		
Date of issue/ Date of revision	: 9-01-2015		
Date of previous issue	: 9-11-2012		
Version	: 1.02		
Prepared by	: Kuwait Petroleum Resear	ch & Technology B.V., The Netherlands	
Martha a factor da a			

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.